

# Clinitas Soothe<sup>®</sup>

lubricant ophthalmic solution  
20 preservative free eye drop units of 0.5 ml

Altacor

## Composition

Sodium hyaluronate 0.4%; monobasic sodium phosphate; dibasic sodium phosphate; sodium chloride; water for injection.

## How is presented?

CLINITAS SOOTHE is presented as a preservative free ophthalmic solution. The pack contains 20 eye drop units of 0.5 ml. The units are resealable but should be discarded after 12 hours.

## What is it?

CLINITAS SOOTHE is a 0.4% ophthalmic solution of sodium hyaluronate, obtained by biotechnological synthesis (no animal sources). Sodium hyaluronate has muco-mimetic, muco-adhesive and viscoelastic properties that improve tear film stability and keeps the ocular surface comfortable. Clinitas Soothe can be used with contact lenses.





## When should it be used?

Environmental factors such as air conditioning, central heating, prolonged use of computers/VDUs, or ocular surgery, conjunctivitis, contact lenses use etc can cause irritation, dry, burning and foreign body sensations in the eyes. CLINITAS SOOTHE is a stabilising solution that brings fast and prolonged relief for these disorders.

## How much to use?

1 drop in the eye 2-3 times daily.

**Instructions for use:**

	<p>1. Separate one vial from the strip of vials.</p>		<p>3. Put one drop into the eye being careful not to touch the eyelid.</p>
	<p>2. Remove the cap by twisting it gently.</p>		<p>4. Push the cap back onto the vial if not all the contents have been used within 12 hours.</p>

**Precautions and warnings**

Do not use if you are sensitive to any of the components.

After administration, in rare cases, a slight temporary blurring of vision may be observed due to the viscosity of the solution. It is therefore advisable to wait for a few seconds before any activity that requires clear vision.

Leave at least 10-15 minutes between administration of any other ophthalmic drugs.

Do not touch the eye with the tip of the container.

Do not use after the expiry date shown on the container.

The expiry date refers to the correctly stored product in its unopened package.

Discard container and remaining solution 12 hours after use.

The product is for external ophthalmic use only.

Store below 25°C.

Keep out of the sight and reach of children.

Do not swallow.

**Manufacturer:** Farmigea S.p.A., Via G.B. Oliva 6/8, 56121 Pisa, Italy

**Distributor:** Altacor Ltd, St John's Innovation Centre, Cowley Road, Cambridge, CB4 0WS

**[www.clinitas.info](http://www.clinitas.info)**

This product is also available on prescription as Clinitas.

**Date of last revision text:** July 2014.

CE 0546

STERILE A